



Achtung, in diesem Context ist eine einzide Instanz des DataBaseConnectionPools Member der Klassen

MVC-Pattern

```

«class»
com.netvk.wiki.spring.servicecontroller.LunamiProductsController
-lunamiProductsManager: NetvkPersistenceManager<LunamiProductsBean>
+doPost(request: HttpServletRequest, response: HttpServletResponse): void
  
```

```

lunamiProductsListLimit.jsp
<c:forEach var="productBean" items="{productBeanList}">
  ${productBean.products_model}</td>
  ${productBean.products_last_modified}</td>
  ${productBean.products_date_available}</td>
  ${productBean.products_id} Image: ${productBean.products_image}</td>
  ${productBean.categories_id} Image: ${productBean.categories_image}</td>
</c:forEach>
  
```

```

«class»
com.netvk.wiki.spring.service.LunamiProductsManager
-dao: LunamiProductsDao
+getSolidBeanListe(aktuelleDatensatzNrString: String, anzahlString: String, serviceEvent: ServiceEvent): NetvkListBean<LunamiProductsBean>
  
```

```

«class»
com.netvk.dao.persistence.dao.ProductsDao
-ddataSource: DataSource
+getSolidBean(loginName: String, password: String, serviceEvent: ServiceEvent): LoginBean
  
```